




| | |
|---|---|
| Replaces open tube | 10 mm |
| Noise reduction | 20 dB(A) |
| Air-/ cost savings | 100 Nm³/h |




# Silvent X05

Multi-Laval nozzle X05 | 16N - IG 3/8

Silvent X05 is a stainless steel blower nozzle with patented Multi-Laval technology and has been developed for applications where high blower power is required. This energy-saving blower nozzle is part of Silvents revolutionary new X-series.

The Silvent X05 model is characterized by a completely new and innovative design that produces a concentrated air jet with reduced turbulence, enabling a more targeted and effective blower force. Thanks to the newly patented technology, the design of the spray nozzle optimizes the change of the potential energy of the air pressure into targeted concentrated kinetic energy. This enables maximum utilization of the air pressure.

Compared to Silvent X01, Silvent X05 has approximately five times the blower force. The unique design enables noise levels to be reduced by more than 10 dB(A) during blower operation, making the blower nozzle perfect for environments where high blower power is required, such as steelworks and paper mills.

## Technical data

| | |
|---|---|
| Item number | 711705 |
| Weight | 25 g |
| Air consumption | 85 Nm³/h |
| Sound | 92 dB(A) |
| Blowing Power | 16 N |
| Max. Operating pressure | 1,0 MPa |
| Max temperature | 400 °C |
| Material | 1.4404 Stainless Steel |

| | |
|---|---|
| Air pattern | Multi Laval |
| Connection | 3/8 BSP |